

AUTHOR INDEX TO VOLUME 169

- Akins, D.L., J.W. Macklin, L.A. Parker and H.-R. Zhu, Raman excitation spectra of aggregate modes of 2,2'-cyanine 169 (1990) 564
- Al-Laham, M.A., see J.A. Montgomery Jr. 169 (1990) 497
- Andrés, J., J. Krechl and E. Silla, Theoretical study of stationary structures of acetamidine unimolecular decomposition 169 (1990) 509
- Andres, J., see J.L. Pascual-Ahuir 169 (1990) 297
- Aoiz, F.J., V. Candela, V.J. Herrero and V. Sáez Rábanos, Classical trajectory calculations for the $D+H_2(v=0, j=0-3) \rightarrow HD(v', j') + H$ reaction: differential and state-to-state cross sections in the 0.35–1.10 eV collision energy range 169 (1990) 243
- Aoki, K., see H. Yamawaki 169 (1990) 77
- Arai, T., see T. Karatsu 169 (1990) 36
- Austin, J.C., S.E.J. Bell and R.E. Hester, Resonance Raman spectroscopy of excited-state iron(III) tetraphenylporphyrin 169 (1990) 342
- Baer, M., see D. Neuhauser 169 (1990) 372
- Baer, M., C.Y. Ng and D. Neuhauser, A new version of the reactive infinite-order sudden approximation: the incorporation of optical potentials 169 (1990) 534
- Balasubramanian, K., Geometry-dependent characteristic polynomials of molecular structures 169 (1990) 224
- Bard, A.J., see J.-M. Zen 169 (1990) 23
- Barth, H.-D. and F. Huisken, Investigation of librational motions in gas-phase CO_2 clusters by coherent Raman spectroscopy 169 (1990) 198
- Basch, H. and W.J. Stevens, The structure of glycine–water H-bonded complexes 169 (1990) 275
- Bäuerle, R.J., see R. Klann 169 (1990) 172
- Beach, D.B., see S.K. Loh 169 (1990) 55
- Bell, S.E.J., see J.C. Austin 169 (1990) 342
- Bénard, M., see C. Bo 169 (1990) 89
- Berger, R.M. and D. Weir, Stable cation formation and luminescence on inorganic oxide surfaces: 9-phenylxanthenyl cation 169 (1990) 213
- Bernardo, M., see H. Thomann 169 (1990) 5
- Bhattacharyya, K., see A. Nag 169 (1990) 12
- Bo, C., J.M. Poblet and M. Bénard, Laplacian of charge density for binuclear complexes: The metal–metal bond in the Rh_2^{4+} unit 169 (1990) 89
- Bochicchio, R.C. and H. Grinberg, An ansatz for the decoupling of the electron-propagator equation of motion via superoperator algebra 169 (1990) 236
- Botschwina, P., H. Schramm and P. Sebal, A theoretical investigation of $H_2C_4H^+$ and the proton affinity of HC_4H 169 (1990) 121
- Bratko, D., Hypernetted chain approximation for ion distribution in reverse micelles 169 (1990) 555
- Brunner, E., D. Fenzke, D. Freude and H. Pfeifer, The influence of homonuclear dipolar interaction on the residual linewidths of MAS NMR spectra 169 (1990) 591
- Buntine, M.A., see K.-D. Rinnen 169 (1990) 365

- Cacciatore, M., see R. Celiberto 169 (1990) 69
- Cai, J., see J. Guo 169 (1990) 432
- Callis, P.R., see J.R. Reimers 169 (1990) 622
- Candela, V., see F.J. Aoiz 169 (1990) 243
- Cao, D., see J. Guo 169 (1990) 432
- Capitelli, M., see R. Celiberto 169 (1990) 69
- Carrington, T., see H.M. Lambert 169 (1990) 185
- Carter, E.A., Linking chemical physics and surface science: thermochemistry of adsorbates from purely gas phase data 169 (1990) 218
- Celiberto, R., P. Cives, M. Cacciatore, M. Capitelli and U.T. Lamanna, Direct electron-impact collision cross sections involving vibrationally excited $D_2(v)$ molecules relevant to D^- sources 169 (1990) 69
- Chau, F.T., Ionic geometries of acetylene in the $X^2\Pi_u$ and $B^2\Sigma_u^+$ ionic states 169 (1990) 43
- Chen, G., see J.-M. Zen 169 (1990) 23
- Chen, Q.J. and J. Fraissard, ^{129}Xe -NMR studies of contact-induced solid-state ion exchange in zeolites 169 (1990) 595
- Cives, P., see R. Celiberto 169 (1990) 69
- Cnossen, G., see K.E. Drabe 169 (1990) 416
- Coombe, R.D., see R.C. Jensen 169 (1990) 441
- Cramer, C.J. and G.R. Famini, Computational studies of open-shell phosphorus oxyacids. Cheletropic reaction of PO_2 with H_2 169 (1990) 405
- Cui, C.-X. and M. Kertesz, Helical Peierls distortion: formation of helices of polyketone and polyisocyanide 169 (1990) 445
- De Groot, H.J.M., J. Raap, C. Winkel, A.J. Hoff and J. Lugtenburg, Magic-angle-spinning ^{13}C NMR with atomic resolution of a photosynthetic reaction center enriched in $[4'-^{13}\text{C}]$ tyrosine 169 (1990) 307
- Dehe, K., H. Heydtmann and U. Schwanke, HF infrared emission from the reaction of atomic fluorine with 2,2'-azobisisobutane, azodicarbonic-acid dimethyl ester and *t*-butylisonitrile 169 (1990) 603
- Delcourt, M.-O., see M. Mostafavi 169 (1990) 81
- Devadoss, C., see A. Samanta 169 (1990) 421
- D'Mello, M., see D.E. Manolopoulos 169 (1990) 482
- Donovan, R.J. and N. Nishi, Time-of-flight spectra of bound-to-free transitions in I_2 169 (1990) 74
- Drabe, K.E., G. Cnossen and D.A. Wiersma, Spontaneous emission and dephasing in front of a mirror: measurement of the ultrafast dynamics of Nile blue in a polymer 169 (1990) 416
- Dyke, J.M. and T.G. Wright, An ab initio study of the equilibrium geometries and vibrational frequencies of the group IIa difluorides MF_2 ($\text{M}=\text{Be}, \text{Mg}, \text{Ca}$) 169 (1990) 138
- Eisenthal, K.B., see F.H. Long 169 (1990) 165
- Elsaesser, T., see R. Klann 169 (1990) 172
- Elser, V., see R.C. Haddon 169 (1990) 362
- Erkelens, C., see J.R.C. van der Maarel 169 (1990) 585
- Famini, G.R., see C.J. Cramer 169 (1990) 405
- Fan, F.-R.F., see J.-M. Zen 169 (1990) 23
- Fenzke, D., see E. Brunner 169 (1990) 591
- Fernández, F.M. and J.F. Ogilvie, Franck-Condon factors for diatomic molecules 169 (1990) 292

- Fernandez Pacios, L., Modification of Ar-core effective potentials for first-row transition metals 169 (1990) 281
- Fessenden, R.W., see A. Samanta 169 (1990) 421
- Fidler, V., see T. Ogura 169 (1990) 457
- Filseth, S.V., see H.M. Lambert 169 (1990) 185
- Fraissard, J., see Q.J. Chen 169 (1990) 595
- Freude, D., see E. Brunner 169 (1990) 591
- Fujiwara, S., see H. Yamawaki 169 (1990) 77
- Fukuyama, T., see S. Ohshima 169 (1990) 331
- Furusawa, M., see M. Tsuji 169 (1990) 49
- Gadd, G.E. and T.G. Slinger, $\text{NO}(\text{B}^2\Pi, \text{C}^2\Pi)$ rotational energy levels near the first dissociation limit 169 (1990) 581
- Ganapathy, S., J. Shore and E. Oldfield, "Variable-angle" sample-spinning nuclear magnetic resonance spectroscopic studies of non-integral spin quadrupolar nuclei in solids: analysis of spinning-sidebands for the case $\eta=0$ 169 (1990) 301
- Gao, J. and M. Karplus, A theoretical investigation of the AlC_2H_4 complex 169 (1990) 410
- Garrone, E., see P. Ugliengo 169 (1990) 501
- Gelb, A., B.G. Sumpter and D.W. Noid, Molecular dynamics calculations of energy transfer to polymer surfaces 169 (1990) 103
- González Ureña, A., see E. Verdasco 169 (1990) 437
- Grabowska, A., A. Mordzinski, N. Tamai and K. Yoshihara, Reversible intramolecular proton-transfer reactions of electronically excited "double" benzoxazoles: a direct observation of the effect of the intrinsic barrier 169 (1990) 450
- Green Jr., W.H., A. Willetts, D. Jayatilaka and N.C. Handy, Ab initio prediction of fundamental, overtone and combination band infrared intensities 169 (1990) 127
- Grein, F., see S.P. Karna 169 (1990) 161
- Grinberg, H., see R.C. Boicichio 169 (1990) 236
- Gu, Y., see J. Guo 169 (1990) 432
- Guo, J., Y. Gu, C. Liu, Y. Yin, D. Cao and J. Cai, Energy transfer process in the reaction of $\text{He}(2^3\text{S})$ with CH_2Cl_2 169 (1990) 432
- Guo, X., see J. Yoshinobu 169 (1990) 209
- Haddon, R.C. and V. Elser, Icosahedral C_{60} revisited: an aromatic molecule with a vanishingly small ring current magnetic susceptibility 169 (1990) 362
- Halonen, L., see E. Kauppi 169 (1990) 393
- Handy, N.C., see W.H. Green Jr. 169 (1990) 127
- Hassan, K.H. and J.M. Hollas, Non-planar (C_2) structure of phthalan from fluorescence spectroscopy in a supersonic jet 169 (1990) 179
- Haymet, A.D.J., see J.D. McCoy 169 (1990) 549
- Henriksen, N.E., On the evaluation of branching ratios in molecular photofragmentation 169 (1990) 229
- Herrero, V.J., see F.J. Aoiz 169 (1990) 243
- Hester, R.E., see J.C. Austin 169 (1990) 342
- Heydtmann, H., see K. Dehe 169 (1990) 603
- Hirata, Y., Y. Mori and N. Mataga, Monophotonic ionization of benzidine derivatives in polar solvents studied by picosecond transient absorption measurements 169 (1990) 427
- Hiratsuka, H., T. Masatomi, K. Tonokura and H. Shizuka, Fluorescence of the phenyldimethylsilyl radical in 3-methylpentane at 77 K 169 (1990) 317

Hirota, N., see N. Hoshi	169 (1990) 326
Hiura, H., see M. Kanzaki	169 (1990) 85
Hoff, A.J., see H.J.M. de Groot	169 (1990) 307
Hollander, J.G., see J.R.C. van der Maarel	169 (1990) 585
Hollas, J.M., see K.H. Hassan	169 (1990) 179
Horiai, K., see H. Uehara	169 (1990) 599
Hoshi, N., S. Yamauchi and N. Hirota, Temperature, pressure and deuterium effects on the phosphorescence decay-rate constant of naphthalene in a single crystal of durene	169 (1990) 326
Huiskens, F., see H.-D. Barth	169 (1990) 198
Hush, N.S., see J.R. Reimers	169 (1990) 622
Ibuki, T., Vacuum ultraviolet photolysis of $(\text{CH}_3)_n\text{GeCl}_{4-n}$ ($n=0-2$) molecule. Observation of the $\text{GeCl}_2(\tilde{\text{B}}, \tilde{\text{A}} \rightarrow \tilde{\text{X}})$ transitions	169 (1990) 64
Ito, F., see T. Nakanaga	169 (1990) 269
Jasinski, J.M., see S.K. Loh	169 (1990) 55
Jasinski, J.M., see A.R. Rossi	169 (1990) 399
Jayatilaka, D., see W.H. Green Jr.	169 (1990) 127
Jellinek, J. and D.H. Li, Vibrations of rapidly rotating <i>N</i> -body systems	169 (1990) 380
Jensen, E.T., R.E. Palmer and P.J. Rous, Resonant electronic excitation of O_2 on graphite	169 (1990) 204
Jensen, F., A remarkable large effect of spin contamination on calculated vibrational frequencies	169 (1990) 519
Jensen, R.C., D.B. Walton and R.D. Coombe, Rate constants for the reactions of CN radicals with Cl_2 , F_2 and O_2	169 (1990) 441
Jobic, H., see F. Vigné-Maeder	169 (1990) 31
Jones, A.C., see A.G. Taylor	169 (1990) 17
Jones, P.L., see J.S. Ozcomert	169 (1990) 1
Jørgensen, P., see J. Olsen	169 (1990) 463
Judson, R.S., see D. Neuhauser	169 (1990) 372
Kafafi, S.A., The ionization potential, electron affinity and energy gap of polyimide	169 (1990) 561
Kakudate, Y., see H. Yamawaki	169 (1990) 77
Kanzaki, M., T. Yuzawa, H. Hiura and H. Takahashi, Time-resolved resonance Raman spectra of chlorophyll <i>a</i> in the lowest excited triplet state: effect of the state of coordination	169 (1990) 85
Kappes, M.M., see C.R.C. Wang	169 (1990) 274
Karatsu, T., M. Tsuchiya, T. Arai, H. Sakuragi and K. Tokumaru, Spectroscopic evidence for an energy minimum at the <i>cis</i> geometry of the triplet state of a butenylanthracene. Further insight into across-a-ridge isomerization of anthrylethylenes	169 (1990) 36
Karna, S.P. and F. Grein, Configuration interaction studies on excited states of linear HCP ⁺	169 (1990) 161
Karplus, M., see J. Gao	169 (1990) 410
Kauppi, E. and L. Halonen, Equilibrium structure and potential-energy surface for the water cation	169 (1990) 393
Keghouche, N., see M. Mostafavi	169 (1990) 81
Kertesz, M., see C.-X. Cui	169 (1990) 445
Kim, J.-J., see M.-Y. Kwon	169 (1990) 337
Kimura, T., see T. Yasukawa	169 (1990) 259
Kitagawa, T., see T. Ogura	169 (1990) 457

- Klann, R., R.J. Bäuerle, F. Laermer, T. Elsaesser, M. Niemeyer and W. Lüttke, Radiationless processes in antiaromatic molecules: the photophysics of *s*-indacene studied by ultrashort light pulses 169 (1990) 172
- Kliner, D.A.V., see K.-D. Rinnen 169 (1990) 365
- Kondow, T., see S. Ohshima 169 (1990) 331
- Konno, T., see H. Uehara 169 (1990) 599
- Kornweitz, H., A. Persky, I. Schechter and R.D. Levine, Steric hindrance can be probed via the dependence of the reactivity on reagent rotation: O+HCl 169 (1990) 489
- Kouri, D.J., see D. Neuhauser 169 (1990) 372
- Krechl, J., see J. Andrés 169 (1990) 509
- Kuchitsu, K., see S. Ohshima 169 (1990) 331
- Kwon, M.-Y. and J.-J. Kim, Surface-enhanced Raman scattering of water in ethanol: electrolytic concentration dependence 169 (1990) 337
- Laermer, F., see R. Klann 169 (1990) 172
- Lamanna, U.T., see R. Celiberto 169 (1990) 69
- Lambert, H.M., T. Carrington, S.V. Filseth and C.M. Sadowski, Single rotational state preparation and relaxation in CN($X^2\Sigma^+$, $v=2$). Stimulated emission pumping and laser-induced fluorescence detection 169 (1990) 185
- Launay, J.M. and M. Le Dourneuf, Quantum-mechanical calculation of integral cross sections for the reaction $F + H_2(v=0, j=0) \rightarrow FH(v'j') + H$ by the hyperspherical method 169 (1990) 473
- Le Dourneuf, M., see J.M. Launay 169 (1990) 473
- Lee, J., see S.-B. Zhu 169 (1990) 355
- Lee, T.J., On the energy separation between the open and cyclic forms of ozone 169 (1990) 529
- Lepetit, M.B. and J.P. Malrieu, Interaction of s^2 pairs in Be_2 and C_2 : the UHF instability, symptom of an atomic promotion 169 (1990) 285
- Levine, R.D., see H. Kornweitz 169 (1990) 489
- Leyte, J.C., see J.R.C. van der Maarel 169 (1990) 585
- Li, D.H., see J. Jellinek 169 (1990) 380
- Liang, C. and H.F. Schaefer III, Electronic structures of linear C_4 , C_6 , C_8 , and C_{10} carbon clusters and a symmetry breaking phenomenon 169 (1990) 150
- Liu, C., see J. Guo 169 (1990) 432
- Loh, S.K., D.B. Beach and J.M. Jasinski, Absolute rate constants for the reaction of silyl with nitric oxide, ethylene, propyne, and propylene, and the silyl recombination reaction 169 (1990) 55
- Long, F.H., H. Lu, X. Shi and K.B. Eisenthal, Femtosecond studies of electron photodetachment from an iodide ion in solution: the trapped electron 169 (1990) 165
- Lu, H., see F.H. Long 169 (1990) 165
- Lugtenburg, J., see H.J.M. de Groot 169 (1990) 307
- Lüttke, W., see R. Klann 169 (1990) 172
- Macklin, J.W., see D.L. Akins 169 (1990) 564
- Makri, N., Time-dependent self-consistent field approximation with explicit two-body correlations 169 (1990) 541
- Malrieu, J.P., see M.B. Lepetit 169 (1990) 285
- Manolopoulos, D.E., M. D'Mello, R.E. Wyatt and R.B. Walker, Converged variational quantum scattering results for the three-dimensional $F + HD$ reaction 169 (1990) 482
- Mantzaris, J., see J.A. Montgomery Jr. 169 (1990) 497
- Marconi, G., On the vibronic structure of the fluorescence spectrum of biphenylene 169 (1990) 617

- Masatomi, T., see H. Hiratsuka 169 (1990) 317
- Mataga, N., see Y. Hirata 169 (1990) 427
- Matsumura, C., see T. Nakanaga 169 (1990) 269
- Matsushima, T. and Y. Ohno, The angular distribution of the product desorption and the orientation of terraces: the oxidation of carbon monoxide over platinum (110)(1×2) reconstructed surfaces 169 (1990) 569
- Matsuura, K., see K. Toriyama 169 (1990) 311
- McCoy, J.D., R. McRae and A.D.J. Haymet, Equilibrium vacancy concentration at melting: the density functional theory 169 (1990) 549
- McRae, R., see J.D. McCoy 169 (1990) 549
- Miura, K., see H. Uehara 169 (1990) 599
- Montgomery Jr., J.A., G.A. Petersson, M.A. Al-Laham and J. Mantzaris, On the dissociation energy of $NF(X^3\Sigma^-)$ 169 (1990) 497
- Mordzinski, A., see A. Grabowska 169 (1990) 450
- Mori, Y., see Y. Hirata 169 (1990) 427
- Morokuma, K., see K. Yamashita 169 (1990) 263
- Mostafavi, M., N. Kefhouche and M.-O. Delcourt, Complexation of silver clusters of a few atoms by a polyanion in aqueous solution: pH effect correlated to structural changes 169 (1990) 81
- Nag, A. and K. Bhattacharyya, Role of twisted intramolecular charge transfer in the fluorescence sensitivity of biological probes: diethylaminocoumarin laser dyes 169 (1990) 12
- Nakagawa, S., see Y. Tanaka 169 (1990) 513
- Nakanaga, T., F. Ito, K. Sugawara, H. Takeo and C. Matsumura, Observation of infrared absorption spectra of molecular ions, H_3^+ and HN_2^+ , by FTIR spectroscopy 169 (1990) 269
- Nakano, M. and M. Sorai, Heat capacity of the ferromagnetic molecular charge-transfer complex, decamethylferrocenium tetracyanoethenide: Ising-like property of the magnetic interaction 169 (1990) 27
- Neuhauser, D., M. Baer, R.S. Judson and D.J. Kouri, Time-dependent (wavepacket) quantum approach to reactive scattering: vibrationally resolved reaction probabilities for $F+H_2 \rightarrow HF+H$ 169 (1990) 372
- Neuhauser, D., see M. Baer 169 (1990) 534
- Neusser, H.J., see H. Sieber 169 (1990) 191
- Ng, C.Y., see M. Baer 169 (1990) 534
- Niemeyer, M., see R. Klann 169 (1990) 172
- Nishi, N., see R.J. Donovan 169 (1990) 74
- Nishimura, Y., see M. Tsuji 169 (1990) 49
- Noid, D.W., see A. Gelb 169 (1990) 103
- Nosaka, H., see K. Tokumura 169 (1990) 321
- Nunome, K., see K. Toriyama 169 (1990) 311
- Ogilvie, J.F., see F.M. Fernández 169 (1990) 292
- Ogura, T., V. Fidler, Y. Ozaki and T. Kitagawa, Alcohol-catalyzed photoreduction of iron-porphyrin complexes revealed by resonance Raman and absorption spectroscopies 169 (1990) 457
- Ohno, Y., see T. Matsushima 169 (1990) 569
- Ohshima, S., T. Kondow, T. Fukuyama and K. Kuchitsu, Measurements of differential cross sections for electron-impact excitation to long-lived excited states of He, Ar, H_2 , and N_2 by a molecular-beam recoil method 169 (1990) 331
- Ohta, N. and T. Takemura, External electric field effects on fluorescence intensity and decay of pyrimidine vapor 169 (1990) 611

Oldfield, E., see S. Ganapathy	169 (1990) 301
Olsen, J., P. Jørgensen and J. Simons, Passing the one-billion limit in full configuration-interaction (FCI) calculations	169 (1990) 463
Ortiz, J.V., Ground and excited states of CaSH through electron propagator calculations	169 (1990) 116
Ozaki, T., see K. Tokumura	169 (1990) 321
Ozaki, Y., see T. Ogura	169 (1990) 457
Ozcomert, J.S. and P.L. Jones, An optically pumped K ₂ supersonic beam laser	169 (1990) 1
Palmer, R.E., see E.T. Jensen	169 (1990) 204
Paramonov, G.K., Selective excitation of molecular vibrational states by femtosecond IR laser pulses	169 (1990) 573
Parker, L.A., see D.L. Akins	169 (1990) 564
Pascual-Ahuir, J.L., J. Andres and E. Silla, Calculation of the relative basicities of methyamines in solution	169 (1990) 297
Persky, A., see H. Kornweitz	169 (1990) 489
Petersson, G.A., see J.A. Montgomery Jr.	169 (1990) 497
Pfeifer, H., see E. Brunner	169 (1990) 591
Phillis, J.G., Spectroscopy of jet-cooled phenylsilane	169 (1990) 460
Phillips, D., see A.G. Taylor	169 (1990) 17,
Phillips, L.F., Collision-theory calculations for some quadrupole-quadrupole reactions of O(¹ D)	169 (1990) 253
Poblet, J.M., see C. Bo	169 (1990) 89
Pollack, S., see C.R.C. Wang	169 (1990) 274
Raap, J., see H.J.M. de Groot	169 (1990) 307
Reimers, J.R., N.S. Hush, D.M. Sammeth and P.R. Callis, Two-photon fluorescence excitation spectrum of a naphthalene norbornylog: implications for electron transfer	169 (1990) 622
Rempel, U., B. von Maltzan and C. von Borczyskowski, Competition between energy transfer and charge separation in covalently linked quinone-porphyrin dimers on a picosecond timescale	169 (1990) 347
Riedle, E., see H. Sieber	169 (1990) 191
Rinnen, K.-D., D.A.V. Kliner, M.A. Buntine and R.N. Zare, Effect of indistinguishable nuclei on product rotational distributions: D+DI→D ₂ +I	169 (1990) 365
Robinson, G.W., see S.-B. Zhu	169 (1990) 355
Rossi, A.R. and J.M. Jasinski, Theoretical studies of neutral silane-ammonia adducts	169 (1990) 399
Rous, P.J., see E.T. Jensen	169 (1990) 204
Sadowski, C.M., see H.M. Lambert	169 (1990) 185
Sáez Rábanos, V., see F.J. Aoiz	169 (1990) 243
Sakuragi, H., see T. Karatsu	169 (1990) 36
Salahub, D.R., see A. St-Amant	169 (1990) 387
Samanta, A., C. Devadoss and R.W. Fessenden, Picosecond time-resolved absorption measurements on the excited singlet state of biphenylene	169 (1990) 421
Sammeth, D.M., see J.R. Reimers	169 (1990) 622
Saunders, V.R., see P. Ugliengo	169 (1990) 501
Schaefer III, H.F., see C. Liang	169 (1990) 150
Schechter, I., see H. Kornweitz	169 (1990) 489
Schramm, H., see P. Botschwina	169 (1990) 121

Schulten, K., see M. Tesch	169 (1990) 97
Schwanke, U., see K. Dehe	169 (1990) 603
Sebald, P., see P. Botschwina	169 (1990) 121
Shi, X., see F.H. Long	169 (1990) 165
Shiratori, Y., see Y. Tanaka	169 (1990) 513
Shizuka, H., see H. Hiratsuka	169 (1990) 317
Shore, J., see S. Ganapathy	169 (1990) 301
Sieber, H., E. Riedle and H.J. Neusser, Doppler-free two-photon spectrum of the 0_0^0 band of the $\tilde{A}^1B_1 \leftarrow \tilde{X}^1A_1$ transition in difluorodiazirine, F_2CN_2	169 (1990) 191
Silla, E., see J.L. Pascual-Ahuir	169 (1990) 297
Silla, E., see J. Andrés	169 (1990) 509
Simons, J., see J. Olsen	169 (1990) 463
Slanger, T.G., see G.E. Gadd	169 (1990) 581
Sorai, M., see M. Nakano	169 (1990) 27
St-Amant, A. and D.R. Salahub, New algorithm for the optimization of geometries in local density functional theory	169 (1990) 387
Stevens, W.J., see H. Basch	169 (1990) 275
Strömberg, D. and U. Wahlgren, First-order relativistic calculations on Au_2 and Hg_2^+	169 (1990) 109
Sugawara, K., see T. Nakanaga	169 (1990) 269
Sumpter, B.G., see A. Gelb	169 (1990) 103
Takahashi, H., see M. Kanzaki	169 (1990) 85
Takemura, T., see N. Ohta	169 (1990) 611
Takeo, H., see T. Nakanaga	169 (1990) 269
Tamai, N., see A. Grabowska	169 (1990) 450
Tanaka, Y., Y. Shiratori and S. Nakagawa, Theoretical studies of pK_a 's for organic compounds in aqueous solution	169 (1990) 513
Taylor, A.G., A.C. Jones and D. Phillips, Strong hydrogen bonding between excited-state carbazole and trialkylamines: a laser-induced fluorescence study	169 (1990) 17
Tesch, M. and K. Schulten, A simulated cooling process for proteins	169 (1990) 97
Thomann, H. and M. Bernardo, Pulsed electron-nuclear-electron triple resonance spectroscopy	169 (1990) 5
Tokumaru, K., see T. Karatsu	169 (1990) 36
Tokumura, K., H. Nosaka and T. Ozaki, Para-substituent effect upon the oxygenation reaction of the benzyl radical in solution	169 (1990) 321
Tonokura, K., see H. Hiratsuka	169 (1990) 317
Toriyama, K., K. Matsuura and K. Nunome, The role of alkyl substitution on the spin distribution in the radical cation of alkyl-cyclohexane: an electron-spin-resonance study	169 (1990) 311
Tossell, J.A., Ab initio calculation of the structures, Raman frequencies and Zn NMR spectra of tetrahedral complexes of Zn^{2+}	169 (1990) 145
Tromp, R.H., see J.R.C. van der Maarel	169 (1990) 585
Tsuchiya, M., see T. Karatsu	169 (1990) 36
Tsuchiya, S., Specific emission spectra observed in dodecaphenylporphyrin	169 (1990) 608
Tsuji, M., M. Furusawa and Y. Nishimura, Populations of fine-structure levels of $Kr^+ (^2P_{3/2,1/2})$ and $Xe^+ (^2P_{3/2,1/2})$ in charge-transfer reactions of He_2^+ with Kr and Xe at thermal energy	169 (1990) 49
Uda, M., see T. Yasukawa	169 (1990) 259

- Uehara, H., K. Horiai, T. Konno and K. Miura, Far infrared emission spectroscopy of KCl 169 (1990) 599
- Ugliengo, P., V.R. Saunders and E. Garrone, Silanol as a model for the free hydroxyl of amorphous silica: ab initio calculations of the interaction with formaldehyde 169 (1990) 501
- Usuba, S., see H. Yamawaki 169 (1990) 77
- Van der Maarel, J.R.C., R.H. Tromp, J.C. Leyte, J.G. Hollander and C. Erkelens, Spin $S=3/2$ $T_{1\rho}$ relaxation; the excitation of triple-quantum coherences 169 (1990) 585
- Verdasco, E. and A. González Ureña, Reaction dynamics of electronically excited calcium atoms with carbon tetrachloride 169 (1990) 437
- Vigné-Maeder, F. and H. Jobic, Adsorption sites and packing of benzene in silicalite 169 (1990) 31
- Von Borczyskowski, C., see U. Rempel 169 (1990) 347
- Von Maltzan, B., see U. Rempel 169 (1990) 347
- Wahlgren, U., see D. Strömberg 169 (1990) 109
- Walker, R.B., see D.E. Manolopoulos 169 (1990) 482
- Walton, D.B., see R.C. Jensen 169 (1990) 441
- Wang, C.R.C., S. Pollack and M.M. Kappes, Molecular excited states versus collective electronic oscillations: optical absorption probes of Na_4 and Na_8 , Chem. Phys. Letters 166 (1990) 26. Erratum 169 (1990) 274
- Weir, D., see R.M. Berger 169 (1990) 213
- Wiersma, D.A., see K.E. Drabe 169 (1990) 416
- Willetts, A., see W.H. Green Jr. 169 (1990) 127
- Winkel, C., see H.J.M. de Groot 169 (1990) 307
- Wright, T.G., see J.M. Dyke 169 (1990) 138
- Wyatt, R.E., see D.E. Manolopoulos 169 (1990) 482
- Yamashita, K. and K. Morokuma, Theoretical study of laser-catalyzed $\text{Na} + \text{HCl}$ reaction: a possibility of transition state spectroscopy 169 (1990) 263
- Yamauchi, S., see N. Hoshi 169 (1990) 326
- Yamawaki, H., K. Aoki, Y. Kakudate, M. Yoshida, S. Usuba and S. Fujiwara, High-pressure Raman study of a polar molecule, acetonitrile 169 (1990) 77
- Yasukawa, T., T. Kimura and M. Uda, An AM1 study of the effects of intermolecular interactions on hyperpolarizability of *p*-nitroanilines 169 (1990) 259
- Yates Jr., J.T., see J. Yoshinobu 169 (1990) 209
- Yin, Y., see J. Guo 169 (1990) 432
- Yoshida, M., see H. Yamawaki 169 (1990) 77
- Yoshihara, K., see A. Grabowska 169 (1990) 450
- Yoshinobu, J., X. Guo and J.T. Yates Jr., Photon-induced processes for chemisorbed O_2 on Pd(111): effect of light polarization 169 (1990) 209
- Yuzawa, T., see M. Kanzaki 169 (1990) 85
- Zare, R.N., see K.-D. Rinnen 169 (1990) 365
- Zen, J.-M., G. Chen, F.-R.F. Fan and A.J. Bard, Size quantization of FeS_2 (pyrite) produced in a polymer matrix 169 (1990) 23
- Zhu, H.-R., see D.L. Akins 169 (1990) 564
- Zhu, S.-B., J. Lee and G.W. Robinson, Non-Maxwell velocity distributions in equilibrated fluids. II 169 (1990) 355